



**TRIN CAL**  
Measurement Solutions



# ASIMETO®

## MEASURE TWICE. SPEND ONCE.



- ✓ More Accurate
- ✓ Longer Life
- ✓ Better Price

**SAVE 25%**  
**WHEN YOU CHOOSE ASIMETO**

**SAVE 25% WHEN YOU CHOOSE ASIMETO**

**ASIMETO®**

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

## Outside Micrometers & Sets



Ratchet Thimble



| Range      | Graduation | Accuracy                        | Thimble Type | Code No.   | List Price | SALE \$ |
|------------|------------|---------------------------------|--------------|------------|------------|---------|
| 0-1"       | 0.0001"    | ±0.0001"                        | Ratchet      | 7101013    | 58.87      | 37.48   |
| 1-2"       | 0.0001"    | ±0.0002"                        | Ratchet      | 7101023    | 65.80      | 42.11   |
| 4-5"       | 0.0001"    | ±0.00015"                       | Ratchet      | 7101053    | 104.02     | 66.57   |
| 6-7"       | 0.0001"    | ±0.0002"                        | Ratchet      | 7101073    | 138.51     | 88.65   |
| Range      | Grad.      | Notes                           | Code No.     | List Price | SALE \$    |         |
| 0-3" (3pc) | 0.0001"    | 0-1"+1-2" Friction 2-3" Ratchet | 7101637      | 176.99     | 113.27     |         |

## Micrometer Stand

| Notes                  | Code No. | List Price | SALE \$ |
|------------------------|----------|------------|---------|
| Painted Cast Iron Base | 7109021  | 56.88      | 36.40   |



## Micrometer Standards

| Size | Accuracy  | Diameter | Code No. | List Price | SALE \$ |
|------|-----------|----------|----------|------------|---------|
| 1"   | ±0.00005" | 0.276"   | 7110011  | 9.33       | 5.97    |
| 2"   | ±0.0001"  | 0.276"   | 7110021  | 11.51      | 7.37    |
| 3"   | ±0.0001"  | 0.276"   | 7110031  | 12.96      | 8.29    |
| 9"   | ±0.00020" | 0.315"   | 7110091  | 32.38      | 20.72   |
| 10"  | ±0.00020" | 0.315"   | 7110101  | 36.90      | 23.62   |
| 21"  | ±0.00030" | 0.630"   | 7110211  | 110.86     | 70.95   |



## Anvils



| T.P.I.     | Pitch (in./mm)         | Code No. | List Price | SALE \$ |
|------------|------------------------|----------|------------|---------|
| 64-48 (M1) | 0.016-0.019"/0.4-0.5mm | 7130610  | 35.44      | 22.68   |
| 13-9 (M4)  | 0.079-0.118"/2.0-3.0mm | 7130640  | 35.44      | 22.68   |
| 8-5 (M5)   | 0.138-0.196"/3.5-5.0mm | 7130650  | 35.44      | 22.68   |

## Inside Micrometers



### Mechanical

| Range     | Grad  | Accuracy | Code No. | List Price | SALE \$ |
|-----------|-------|----------|----------|------------|---------|
| 0.2-1.18" | 0.001 | ±0.0001" | 7203011  | 161.60     | 103.42  |
| 3-4"      | 0.001 | ±0.0002" | 7203041  | 223.16     | 142.82  |

## Interchangeable Anvil Micrometers

| Range  | Grad.  | Accuracy  | Code No. | List Price | SALE \$  |
|--------|--------|-----------|----------|------------|----------|
| 16-20" | 0.001" | ± 0.0005" | 7111201  | 836.60     | 535.42   |
| 20-24" | 0.001" | ± 0.0006" | 7111241  | 1,289.53   | 825.30   |
| 28-32" | 0.001" | ± 0.0007" | 7111321  | 1,877.70   | 1,201.73 |



## Digital Outside Micrometers with SPC Output & Set



| Range | Inch Resolution | Accuracy | Range  | Metric Resolution | Accuracy | Code No. | List Price | SALE \$ |
|-------|-----------------|----------|--------|-------------------|----------|----------|------------|---------|
| 0-1   | 0.00005"        | 0.0001"  | 0-25   | 0.001mm           | 0.002mm  | 7105015  | 296.26     | 189.61  |
| 1-2   | 0.00005"        | 0.0002"  | 25-50  | 0.001mm           | 0.002mm  | 7105025  | 299.99     | 191.99  |
| 2-3   | 0.00005"        | 0.0002"  | 50-75  | 0.001mm           | 0.003mm  | 7105035  | 397.58     | 254.45  |
| 3-4   | 0.00005"        | 0.0002"  | 75-100 | 0.001mm           | 0.003mm  | 7105045  | 432.20     | 276.61  |
| Sets  |                 |          |        |                   |          |          |            |         |
| 0-3   | 0.00005"        |          | 0-75   | 0.001mm           |          | 7105639  | 929.81     | 595.08  |

## Economic Digital Outside Micrometers



| Range        | Resolution         | Accuracy           | Code No. | List Price | SALE \$ |
|--------------|--------------------|--------------------|----------|------------|---------|
| 1-2"/25-50mm | 0.00005" / 0.001mm | ±0.00016"/ 0.004mm | 7116021  | 197.51     | 126.41  |

## Digital Blade Micrometers



| Range          | Resolution         | Accuracy | Blade Dimensions Depth x Length | Code No. | List Price | SALE \$ |
|----------------|--------------------|----------|---------------------------------|----------|------------|---------|
| 1-2" / 25-50mm | 0.00005" / 0.001mm | ±0.0002" | 0.030" x 0.250"                 | 7117021  | 793.87     | 508.08  |
| 2-3" / 50-75mm | 0.00005" / 0.001mm | ±0.0002" | 0.030" x 0.250"                 | 7117031  | 739.68     | 473.40  |

## Digital Screw Thread Micrometers



| Range (in.) | Inch Res | Accuracy | Range (mm) | Metric Res | Accuracy | Code No. | List Price | SALE \$ |
|-------------|----------|----------|------------|------------|----------|----------|------------|---------|
| 0-1"        | 0.00005" | ±0.0001" | 0-25       | 0.001mm    | ±0.004mm | 7136011  | 520.70     | 333.25  |

## Digital

IP65 Coolant Proof and ABS Absolute Function



| Range (in./mm) | Res (in./mm)    | Accuracy | Code No. | List Price | SALE \$ |
|----------------|-----------------|----------|----------|------------|---------|
| 0.2-1.2 / 5-30 | 0.00005 / 0.001 | ±0.0001" | 7207011  | 633.56     | 405.48  |

## Digital Disc Micrometers — Non-Rotating Spindle



| Range          | Accuracy | Code No. | List Price | SALE \$ |
|----------------|----------|----------|------------|---------|
| 0-1" / 0-25mm  | ±0.0001" | 7145011  | 618.22     | 395.66  |
| 1-2" / 25-50mm | ±0.0002" | 7145021  | 676.74     | 433.11  |
| 2-3" / 50-75mm | ±0.0002" | 7145031  | 752.88     | 481.84  |

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.


## Depth Micrometers




| Range | Res/Grad | Accuracy | Thimble Grad. | Base Length | No. of Rods | Digital, IP65 & ABS | Code No. | List Price | SALE \$ |
|-------|----------|----------|---------------|-------------|-------------|---------------------|----------|------------|---------|
| 0-6"  | 0.00005" | ±0.0002" | 0.0001"       | 4.0"        | 6           | ✓                   | 7205063  | 726.43     | 464.92  |

## Depth Micrometers

| Range | Grad.  | Accuracy | Base Length | Code No. | List Price | SALE \$ |
|-------|--------|----------|-------------|----------|------------|---------|
| 0-4"  | 0.001" | +0.0002" | 2.5"        | 7201041  | 239.99     | 153.59  |
| 0-4"  | 0.001" | +0.0002" | 4.0"        | 7201043  | 256.50     | 164.16  |
| 0-6"  | 0.001" | +0.0002" | 4.0"        | 7201063  | 311.65     | 199.46  |



## Inside Micrometer — Interchangeable Rod Type



| Range | Head Travel | Grad   | Spacing Collar | Rod Dia. | Code No. | List Price | SALE \$ |
|-------|-------------|--------|----------------|----------|----------|------------|---------|
| 1-2"  | 0.25"       | 0.001" | 0.250"         | 0.248"   | 7242021  | 335.70     | 214.85  |

## Two & Three Point Internal Micrometers

### Mechanical



| Range       | Grad ("/mm) | Accuracy  | Code No. | List Price | SALE \$ |
|-------------|-------------|-----------|----------|------------|---------|
| 0.5 - 0.65" | 0.0002"     | ±0.00016" | 7209241  | 546.35     | 349.66  |
| 0.8 - 1.0"  | 0.0002"     | ±0.00016" | 7209261  | 768.22     | 491.66  |
| 1.2 - 1.6"  | 0.0002"     | ±0.00016" | 7209281  | 827.21     | 529.41  |
| 2.5 - 3.0"  | 0.0002"     | ±0.0002"  | 7209311  | 1,083.71   | 693.57  |
| 3.0 - 3.5"  | 0.0002"     | ±0.0002"  | 7209321  | 1,132.45   | 724.77  |
| 3.5 - 4.0"  | 0.0002"     | ±0.0002"  | 7209331  | 1,178.62   | 754.32  |

### Digital

IP65 Coolant Proof and ABS Absolute Function



| Range      | Res ("/mm)      | Accuracy  | Code No. | List Price | SALE \$  |
|------------|-----------------|-----------|----------|------------|----------|
| 1.2 - 1.6" | 0.00005 / 0.001 | ±0.00016" | 7208281  | 1,370.99   | 877.43   |
| 2.5 - 3.0" | 0.00005 / 0.001 | ±0.0002"  | 7208311  | 1,565.93   | 1,002.20 |

## Digital Depth Calipers – ABS



| Range           | Resolution       | Accuracy | Code No. | List Price | SALE \$ |
|-----------------|------------------|----------|----------|------------|---------|
| 0-6" / 0-150mm  | 0.0005" / 0.01mm | ±0.001"  | 7327067  | 138.51     | 88.65   |
| 0-12" / 0-300mm | 0.0005" / 0.01mm | ±0.0015" | 7327127  | 402.71     | 257.73  |

## Digital Tire Depth Gauge



| Range           | Resolution       | Accuracy          | Base Length | Code No. | List Price | SALE \$ |
|-----------------|------------------|-------------------|-------------|----------|------------|---------|
| 0-1.2" / 0-30mm | 0.0005" / 0.01mm | ±0.0015" / 0.03mm | 60mm        | 7321010  | 147.49     | 94.39   |

## Statistical Process Control Equipment

| Used For                                                               | Code No. | List Price | SALE \$ |
|------------------------------------------------------------------------|----------|------------|---------|
| ABS Digital Calipers, Digital Micrometers, Heavy Duty Digital Calipers | 7901001  | 169.26     | 108.33  |


| Used For                | Code No. | List Price | SALE \$ |
|-------------------------|----------|------------|---------|
| IP65 Digital Indicators | 7901002  | 169.26     | 108.33  |

## Diecast Aluminum



| Range | Graduation | Range per Rev | Accuracy | Code No. | List Price | SALE \$ |
|-------|------------|---------------|----------|----------|------------|---------|
| 0-6"  | 0.001"     | 0.100"        | ±0.001"  | 7304065  | 146.73     | 93.91   |
| 0-12" | 0.001"     | 0.100"        | ±0.0015" | 7304125  | 333.38     | 213.36  |

## IP67 Coolant Proof



| Range ("/mm) | Res ("/mm)    | Accuracy | IP67 Coolant Proof | Code No. | List Price | SALE \$ |
|--------------|---------------|----------|--------------------|----------|------------|---------|
| 0-8 / 0-200  | 0.0005 / 0.01 | ±0.0015" | ✓                  | 7305082  | 317.60     | 203.26  |


## ABS & IP67 Coolant Proof



| Range ("/mm) | Res ("/mm)    | Accuracy | IP67 | Lg Display | ABS | Code No. | List Price | SALE \$ |
|--------------|---------------|----------|------|------------|-----|----------|------------|---------|
| 0-6 / 0-150  | 0.0005 / 0.01 | ±0.001"  | ✓    | ✓          |     | 7307065  | 89.40      | 57.22   |
| 0-8 / 0-200  | 0.0005 / 0.01 | ±0.0015" | ✓    | ✓          | ✓   | 7305085  | 399.10     | 255.42  |

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

| Heavy Duty Vernier Calipers                                                      | Range ("/mm)  | Graduation ("/mm) | Accuracy | Jaw Depth | Code No. | List Price | SALE \$ |
|----------------------------------------------------------------------------------|---------------|-------------------|----------|-----------|----------|------------|---------|
|  | 0-12 / 0-300  | 0.001 / 0.02      | ±0.0015" | 75mm      | 7311121  | 259.99     | 166.39  |
|                                                                                  | 0-40 / 0-1000 | 0.001 / 0.02      | ±0.003"  | 150mm     | 7311401  | 1,174.73   | 751.83  |

| Adj. Jaw & Extended Range                                                        | Range ("/mm)  | Res ("/mm)    | Accuracy | IP67 | ABS | Adj Jaw            | Code No. | List Price | SALE \$  |
|----------------------------------------------------------------------------------|---------------|---------------|----------|------|-----|--------------------|----------|------------|----------|
|  | 0-6 / 0-150   | 0.0005 / 0.01 | ±0.0015" |      |     | ✓ Jaw Length 110mm | 7317060  | 354.73     | 227.03   |
|                                                                                  | 0-12 / 0-300  | 0.0005 / 0.01 | ±0.0020" |      |     | ✓ Jaw Length 130mm | 7317120  | 627.89     | 401.85   |
|                                                                                  | 0-40 / 0-1000 | 0.0005 / 0.01 | ±0.10mm  | ✓    | ✓   | ✓ Jaw Length 150mm | 7315406  | 2,023.79   | 1,295.23 |

## Bore Gauges

| Range     | Resolution/Graduation | No. Anvils | No. Spacers | No. Sub-Anvils | Probe Depth | Digital/Dial | Code No. | List Price | SALE \$ |
|-----------|-----------------------|------------|-------------|----------------|-------------|--------------|----------|------------|---------|
| 1.4"-2.4" | 0.0001" / 0.01mm      | 6 pcs      | 4           | -              | 6"          | Dial         | 7483221  | 269.99     | 172.79  |



## Indicators

|                                                                                     | Range          | Grad          | Dial Reading    | Range per Rev                         | Stem Dia. | Type     | Code No. | List Price | SALE \$ |
|-------------------------------------------------------------------------------------|----------------|---------------|-----------------|---------------------------------------|-----------|----------|----------|------------|---------|
|  | 0-0.05"        | 0.0001"       | 0-50-0          | 0.01"                                 | 3/8       | Lug Back | 7402013  | 140.46     | 89.89   |
|                                                                                     | 0-0.05"        | 0.0001"       | 10-0            | 0.01"                                 | 3/8       | Lug Back | 7402011  | 140.46     | 89.89   |
|                                                                                     | 0-0.05"        | 0.0001"       | 0-5-0           | 0.01"                                 | 3/8       | Lug Back | 7402015  | 176.61     | 113.03  |
|                                                                                     | 0-0.25"        | 0.001"        | 0-100           | 0.1"                                  | 3/8       | Lug Back | 7402061  | 56.05      | 35.87   |
|                                                                                     | 0-0.5"         | 0.001"        | 0-50-0          | 0.1"                                  | 3/8       | Lug Back | 7402123  | 67.53      | 43.22   |
|                                                                                     | Range ("/mm)   | Res ("/mm)    | Accuracy ("/mm) | Type                                  | IP65      | ABS      | Code No. | List Price | SALE \$ |
|   | 0-0.5 / 0-12.5 | 0.0005 / 0.01 | ±0.0008 / ±0.02 | Flat Back attached, Lug Back supplied |           | ✓        | 7405951  | 194.94     | 124.76  |
|                                                                                     | 0-1 / 0-25     | 0.0005 / 0.01 | ±0.0012 / ±0.03 | Flat Back attached, Lug Back supplied |           | ✓        | 7405011  | 212.90     | 136.26  |
|                                                                                     | 0-1 / 0-25     | 0.0005 / 0.01 | ±0.0012 / ±0.02 | Flat Back attached, Lug Back supplied | ✓         | ✓        | 7407023  | 202.84     | 129.82  |
|                                                                                     | 0-2 / 0-50     | 0.0005 / 0.01 | ±0.0012 / ±0.02 | Flat Back attached, Lug Back supplied | ✓         | ✓        | 7407033  | 697.68     | 446.52  |

## Extended Range/Pocket Dial Test Indicator Sets

|                                                                                    | Range  | Grad    | Accuracy | Code No. | List Price | SALE \$ |
|------------------------------------------------------------------------------------|--------|---------|----------|----------|------------|---------|
|  | 0.060" | 0.0005" | ±0.0012" | 7504811  | 304.23     | 194.71  |
|                                                                                    | 0.060" | 0.0005" | ±0.0012" | 7504813  | 296.03     | 189.46  |
|                                                                                    | 0.060" | 0.001"  | ±0.0012" | 7504815  | 283.73     | 181.59  |
|  | 0.060" | 0.0005" | ±0.0012" | 7504821  | 298.21     | 190.85  |

## Extended Range/Pocket Dial Test Indicators

|                                                                                     | Range  | Grad    | Dial Reading | Accuracy | Code No. | List Price | SALE \$ |
|-------------------------------------------------------------------------------------|--------|---------|--------------|----------|----------|------------|---------|
|  | 0.060" | 0.001"  | 0-15-0       | ±0.0012" | 7503061  | 254.94     | 163.16  |
|                                                                                     | 0.060" | 0.0005" | 0-15-0       | ±0.0012" | 7504563  | 228.41     | 146.18  |

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

## Dial Test Indicator Sets



### Basic Accessories Included:

Stem Diameter – Metric Ø8mm  
Stem Diameter – Inch Ø3/8"  
Ruby Contact Point Diameter – Ø2mm  
Wrench

### Full Set Accessories Included:

Asimeto Basic Accessories plus, Stem Diameter Metric Ø4mm, Stem Diameter Inch Ø0.157", Carbide Tipped Point Diameter Ø2mm, Steel Point Diameter Ø1mm  
Swivel Clamp – Metric for Ø4mm & Ø8mm Diameters  
Swivel Clamp – Inch for Ø3/8" & Ø 0.157" Diameters  
Holding Bar – Metric 9 x 9 x 100mm  
Holding Bar – Inch 0.25" x 0.5" x 4"

| Range  | Grad    | Dial Reading | Accuracy | Type       | Code No. | List Price | SALE \$ |
|--------|---------|--------------|----------|------------|----------|------------|---------|
| 0.008" | 0.0001" | 0-4-0        | ±0.0001" | Vertical   | 7501785  | 175.70     | 112.45  |
| 0.03"  | 0.0005" | 0-15-0       | ±0.0005" | Vertical   | 7501735  | 133.07     | 85.16   |
| 0.008" | 0.0001" | 0-4-0        | ±0.0001" | Horizontal | 7501787  | 185.96     | 119.01  |
| 0.03"  | 0.0005" | 0-15-0       | ±0.0005" | Horizontal | 7501738  | 227.32     | 145.48  |

## Test Indicator Points



| Ball Dia.           | Tip Length | Ind. Range/Resolution | Code No. | List Price | SALE \$ |
|---------------------|------------|-----------------------|----------|------------|---------|
| <b>Carbide Ball</b> |            |                       |          |            |         |
| 2mm                 | 16.2mm     | 0.03"/0.0005"         | 7500622  | 11.88      | 7.60    |
| 3mm                 | 16.7mm     | 0.03"/0.0005"         | 7500632  | 15.17      | 9.71    |
| 3mm                 | 16.7mm     | 0.008"/0.0001"        | 7500732  | 15.17      | 9.71    |

| Ball Dia.         | Tip Length | Ind. Range/Resolution | Code No. | List Price | SALE \$ |
|-------------------|------------|-----------------------|----------|------------|---------|
| <b>Steel Ball</b> |            |                       |          |            |         |
| 1mm               | 15.9mm     | 0.03"/0.0005"         | 7500611  | 11.60      | 7.42    |
| 2mm               | 16.2mm     | 0.03"/0.0005"         | 7500621  | 5.80       | 3.71    |
| 3mm               | 16.7mm     | 0.03"/0.0005"         | 7500631  | 5.80       | 3.71    |
| 3mm               | 16.7mm     | 0.008"/0.0001"        | 7500731  | 5.80       | 3.71    |
| 1mm               | 21.3mm     | 0.06"/0.0005"         | 7500811  | 5.54       | 3.55    |
| 3mm               | 22.3mm     | 0.06"/0.0005"         | 7500831  | 5.80       | 3.71    |

## Indicator Holders & Bases



| Magnetic Power | Magnetic Base (L x W x H) | Female Thread | Code No. | List Price | SALE \$ |
|----------------|---------------------------|---------------|----------|------------|---------|
| 60 kg          | 60 x 50 x 55mm            | M8            | 7600011  | 54.24      | 34.71   |



| Pull Action | Main Body  | Main Stem Length | Code No. | List Price | SALE \$ |
|-------------|------------|------------------|----------|------------|---------|
| 17 kg       | Ø30 x 25mm | 85mm             | 7601120  | 78.75      | 50.40   |



| Pull Action | Base (L x W x H) | Post/Arm Dimensions                                           | On/Off Switch | Fine Adj | Code No. | List Price | SALE \$ |
|-------------|------------------|---------------------------------------------------------------|---------------|----------|----------|------------|---------|
| 80 kg       | 60 x 50 x 55mm   | Total Height: 310mm<br>Post: 124mm<br>Arm: 101mm<br>Top: 85mm | ✓             | ✓        | 7602021  | 199.99     | 127.99  |



| Pull Action | On/Off Switch | Code No. | List Price | SALE \$ |
|-------------|---------------|----------|------------|---------|
| 132 lbf     | ✓             | 7601011  | 39.99      | 25.59   |

## Height Gauges – Single & Double Beams

| Range           | Res/Grad         | Accuracy          | No of Beams | Digital/Dial | Code No. | List Price | SALE \$ |
|-----------------|------------------|-------------------|-------------|--------------|----------|------------|---------|
| 0-12" / 0-300mm | 0.0005" / 0.01mm | ±0.0015" / 0.04mm | Single      | Digital      | 7626120  | 896.47     | 573.74  |
| 0-24" / 0-600mm | 0.0005" / 0.01mm | ±0.0020" / 0.05mm | Single      | Digital      | 7626240  | 1,329.95   | 851.17  |
| 0-12" / 0-300mm | 0.0005" / 0.01mm | ±0.0015"          | Single      | Digital      | 7625120  | 725.90     | 464.58  |
| 0-24" / 0-600mm | 0.0005" / 0.01mm | ±0.0020"          | Single      | Digital      | 7625240  | 1,320.98   | 845.43  |

| Range           | Res/Grad        | Accuracy          | No of Beams | Digital/Dial | Code No. | List Price | SALE \$ |
|-----------------|-----------------|-------------------|-------------|--------------|----------|------------|---------|
| 0-18" / 0-450mm | 0.001" / 0.01mm | ±0.0015" / 0.04mm | Double      | Digital      | 7627180  | 1,416.35   | 906.46  |



**SAVE 25% WHEN YOU CHOOSE ASIMETO**

**ASIMETO®**

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

## Radius Gauges



| Range                       | No. of Leaves | Code No. | List Price | SALE \$      |
|-----------------------------|---------------|----------|------------|--------------|
| 1/32-17/64 x 64ths, 90° arc | 16            | 7605401  | 33.65      | <b>21.54</b> |

## Pocket Rules



| Size | Clip | Code No. | List Price | SALE \$     |
|------|------|----------|------------|-------------|
| 6"   | ✓    | 7606009  | 4.31       | <b>2.76</b> |

## Screw Pitch Gauges

| Range            | No. of Leaves       | Composition of Leaves | Code No.                                  | List Price | SALE \$               |
|------------------|---------------------|-----------------------|-------------------------------------------|------------|-----------------------|
| Metric & TPI 60° | 0.4-7mm<br>4-42 TPI | 51                    | Composition of Leaves 7605520 and 7605502 | 7605508    | 35.68<br><b>22.84</b> |



## Squares & Square Sets

| Blade Length (in.)                                                                                   | Code No. | List Price | SALE \$       |
|------------------------------------------------------------------------------------------------------|----------|------------|---------------|
| Set of 3 squares with 1-1/2" triangular straight edge with handle and case.<br>2-15/16", 1-9/16", 1" | 7606670  | 262.68     | <b>168.12</b> |
| 6" x 4" 150 x 100mm                                                                                  | 7639240  | 146.81     | <b>93.96</b>  |
| 8" x 5" 200 x 130mm                                                                                  | 7639250  | 188.21     | <b>120.45</b> |

## Matched Pair Steel Parallel Sets

| Pairs | Width | Range          | Code No. | List Price | SALE \$       |
|-------|-------|----------------|----------|------------|---------------|
| 8     | 1/2"  | 7/8" to 1-3/4" | 7607080  | 285.71     | <b>182.85</b> |
| 9     | 1/4"  | 3/4" to 1-3/4" | 7607090  | 270.43     | <b>173.08</b> |
| 10    | 1/8"  | 1/2" to 1-5/8" | 7607100  | 171.40     | <b>109.70</b> |
| 10    | 1/32" | 1/2" to 1-5/8" | 7607101  | 128.21     | <b>82.05</b>  |




## Digital Protractors — Level Type

| Range | Res  | Accuracy | Code No. | List Price | SALE \$       |
|-------|------|----------|----------|------------|---------------|
| 360°  | 0.1° | ±0.1°    | 7490160  | 258.45     | <b>165.41</b> |



## Thread Measuring Wire Set



| Description                                                                                                                                                                                                                                           | Code No. | List Price | SALE \$      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|--------------|
| <ul style="list-style-type: none"> <li>48 wires - 16 different sizes which measure all threads from 3 - 48 threads per inch and all metric threads from 0.5mm to 6mm</li> <li>Also measures ACME threads</li> <li>Laminated chart included</li> </ul> | 7697300  | 33.27      | <b>21.29</b> |

## Telescoping Gauges & Set

| Range                   | Depth | Model            | Code No. | List Price | SALE \$      |
|-------------------------|-------|------------------|----------|------------|--------------|
| Set of 6 - 0.315"-5.90" |       | A, B, C, D, E, F | 7487869  | 68.74      | <b>43.99</b> |
| 1.26"-2.126"            | 5.85" | D                | 7487041  | 17.79      | <b>11.39</b> |
| 0.315"-0.500"           | 12"   |                  | 7487013  | 19.37      | <b>12.40</b> |
| 0.500"-0.748"           | 12"   |                  | 7487023  | 19.37      | <b>12.40</b> |
| 0.748"-1.26"            | 12"   |                  | 7487033  | 19.37      | <b>12.40</b> |
| 1.26"-2.126"            | 12"   |                  | 7487043  | 22.32      | <b>14.28</b> |
| 3.54"-5.90"             | 12"   |                  | 7487063  | 22.32      | <b>14.28</b> |



## Ergonomic Pin Gauge Handles



| Range           | Code No. | List Price | SALE \$      |
|-----------------|----------|------------|--------------|
| 0.011" - 0.060" | 7697410  | 43.55      | <b>27.87</b> |
| 0.251" - 0.500" | 7697412  | 53.04      | <b>33.95</b> |

## Rectangular Gauge Block Sets

| Blocks per Set | Code No. | List Price | SALE \$       |
|----------------|----------|------------|---------------|
| 81             | 7650010  | 1,354.32   | <b>866.76</b> |
|                | 7650011  | 964.44     | <b>617.24</b> |



## Precision Steel Pin Gauge Sets



| Plus Tolerance +0.0002"/-0      | Code No. | List Price | SALE \$       |
|---------------------------------|----------|------------|---------------|
| 190 0.061"-0.250" x 0.001" step | 7697020  | 266.11     | <b>170.31</b> |
| 250 0.251"-0.500" x 0.001" step | 7697030  | 481.45     | <b>308.13</b> |

## Hardness Tester Penetrators



| Description                 | Specifications                                  | Code No. | List Price | SALE \$       |
|-----------------------------|-------------------------------------------------|----------|------------|---------------|
| For Brinell Hardness Tester | Ø2.5, 5, 10mm tungsten carbide ball penetrators | 7640840  | 551.40     | <b>352.90</b> |